

ATTORNEY DOCKET NO.: 50P4257.06

**A DEFAULT PORTAL SITE ACCESS WITH WIRELESS MODULE**

By:

Akihiko Toyoshima

CERTIFICATE OF EXPRESS MAILING

"Express Mail" Label: EL645989731 US

Date of Deposit: October 12, 2001

I hereby certify that the above-referenced application papers are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above and is addressed to the Commissioner for Patents, Washington, D.C. 20231

  
Carrie Merzbacher

**A DEFAULT PORTAL SITE ACCESS WITH WIRELESS MODULE**

Cross Reference to Related Documents

- 5                    This application incorporates herein by reference U.S. Patent  
Application Serial Number 09/\_\_\_\_\_, of Akihiko Toyoshima, for  
SYSTEM AND METHOD FOR ACTIVATION OF A WIRELESS MODULE, filed  
October 5, 2001 (Sony IPD 50R4257.01); U.S. Patent Application Serial No.  
09/\_\_\_\_\_, of Akihiko Toyoshima, for HOME NETWORK USING  
10 WIRELESS MODULE, filed October 11, 2001 (Sony IPD 50P4257.02);  
U.S. Patent Application Serial No. 09/\_\_\_\_\_, of Akihiko Toyoshima, for  
MULTIPLE WIRELESS FORMAT PHONE SYSTEM AND METHOD, filed  
October 5, 2001 (Sony IPD No. 50P4257.03); U.S. Patent Application Serial No.  
09/\_\_\_\_\_, of Akihiko Toyoshima, for WIRELESS MODEM MODULE SERVER  
15 SYSTEM, filed October 9, 2001 (Sony IPD No. 50P4257.04); U.S. Patent Application  
Serial No. 09/\_\_\_\_\_, of Akihiko Toyoshima, for WIRELESS MODULE  
SECURITY SYSTEM AND METHOD, filed October 5, 2001 (Sony IPD  
50R4257.05); and U.S. Patent Application Serial Number 09/928,582, of  
Baranowski, et al.; for WIRELESS MODULE, filed August 13, 2001 (Sony IPD  
20 50N3390); and Provisional Patent Application Serial No. 60/240,011; of Juan, et al,  
for PORTABLE WIRELESS MODEM, filed October 13, 2000 (Sony IPD 50P4257).

Copyright Notice

- 25                    A portion of the disclosure of this patent document contains material  
which is subject to copyright protection. The copyright owner has no objection to the  
facsimile reproduction of the patent document or the patent disclosure, as it appears in  
the Patent and Trademark Office patent file or records, but otherwise reserves all  
copyright rights whatsoever.

### Field of the Invention

The present invention is directed to a system for automatically matching device types with portal addresses. More particularly, this invention provides a system in which various network portal addresses associate with a particular type of mobile device, wherein the type specific portal addresses being automatically downloaded thereto without the user having to undergo the cumbersome procedure of logging onto and searching for the appropriate internet web sites.

### Background of the Invention

There is an ever increasing number of mobile internet users world wide. Therefore, it follows that there will be an increase in Internet usage within the number of web sites that provide various services for Internet use, and in the way and manner in which the web site addresses are communicated to mobile web users. Many of these web sites provide more than simple information, they also facilitate the processing and conversion of data provided to the mobile device.

Referring to the drawings, FIG. 1 is an example of a related art diagram showing a wireless mobile device 20 coupled to a memory stick 30 and a base station device 40. Therein, information on web sites and the like is first transferred from the host device to the memory stick, whereupon, a user would decouple the memory stick from the host device and couple it to a mobile device so that the data on the memory stick can be read by the mobile device. Such memory data may be transferred to the memory of the mobile device or kept on the memory stick data memory. Further, this process can be repeated several times depending on how much data needs to be transferred or browsed through using the mobile device 20.

However, in order to use the services provided by these web sites, a mobile user must have knowledge of the individual web sites. In order to obtain the needed information, a website directory may be provided that is updatable by both the host and the wireless device.

There remains a general need in the related art for continuously updating the web sites associated with the type of mobile device, and storing this information on the mobile communications device, or at a host device.

5 There remains an additional need for a tabular system that can work equally well with a number of different mobile devices, including PDA's, digital cameras, e-books, etc..., and can also operate with an user's desktop, PC or other kinds of network services.

10 There remains still another need for a system and method that provides a transparent, secure delivery of the tabular information of the device type and web site addresses from the host system to the mobile devices, or vice-versa.

#### Summary of the Invention

The present invention overcomes the problems of the related art in an easy to use manner. Hence, it is desired that a mobile wireless user can easily select a web site application associated with a particular "type of" mobile device.

15 The present disclosure provides methods and apparatus for implementing a website applications system for a wireless device including inserting a wireless module into a host mobile device, transferring data about device type from said host mobile device to said wireless module, retrieving from a memory device by said wireless module, website addresses associated with the device type data, and  
20 accessing the website addresses retrieved using the host mobile device with the wireless module coupled therein.

25 In another implementation, the present disclosure provides a system for providing data to a mobile device, including wireless module device inserted into a host mobile device wherein the wireless module device receives data about a device type from said host mobile device, a memory device coupled to the wireless module for retrieving website addresses associated with the device type data, and a user interface coupled to the host mobile device for accessing the website addresses retrieved.

09977080 101201

In another implementation, the present disclosure provides a system for providing internet website applications, comprising: a host device having a memory device for storing a plurality of device type data and website addresses, a host agent for correlating the device type data with the website addresses and having a matching  
5 device for matching a mobile device with the type data thereby generating a set of web site data associated therewith, the mobile device having a wireless module for connecting to the host device for receiving type data and website addresses, wherein the wireless module having memory device for storing the received type data and website addresses, and coupled to a user module for listing the website address so a  
10 user can select the desired website address.

The features of the invention are believed to be novel, set forth with particularity in the appended claims. The invention itself, however, both as to organization and method of operation, together with the further objects and advantages thereof, maybe best understood by reference to the following description  
15 taken in conjunction with the accompanied drawings.

#### Brief Description of the Drawings

The following detailed description, given by way of example, and not intended to limit the present invention solely thereto, will best be understood in  
20 conjunction with the accompanying drawings in which:

FIG. 1 is a diagram illustrating an overview of a related system.

FIG. 2 shows a block diagram illustrating the wireless modem module.

FIG. 3 shows a block diagram of an illustrated embodiment of a system according to the present invention.

25 FIG. 4a and 4b show a block diagram in more detail, illustrating an overview of a tabular system according to the present invention.

FIG. 5a and 5b show a block diagram of an illustrated embodiment of a system according to the present invention.

## Detailed Description of the Invention

While the present invention has been particularly shown and described with reference to a preferred embodiment(s), it will be understood that various changes and modifications may be made without departing from the spirit and scope of this invention. It is intended that the appended claims be interpreted to cover the embodiments described herein and all equivalents thereto.

FIG. 2 is an example of a system block diagram of one implementation of the wireless module corresponding to the wireless module of FIG.3

The wireless module 100 includes an antenna 110 providing a wireless connection to a base station, and coupled to a transceiver circuit. The transceiver circuit includes a duplexer 120, a transmitter 130 and a receiver 140. The transmitter 130 and receiver 140 of the transceiver unit are connected to a baseband signal processor 150. The baseband signal processor circuit 150 is also connected to a microprocessor 170, memories 160, an interface input/output 180. A host peripheral device may be connected to the wireless module 100 through the I/O interface.

In operation, the wireless module 100 receives signals containing data packets via the antenna 110 and forwards these signals to the duplexer via the receiver 140. The baseband signal processing circuit then receives the signals 150 and the data signals are forwarded to a micro false processor through the I/O interface to a host.

The host may, for example, be a PC, laptop, PDA wireless device, telephone or other kind of mobile or host unit. The wireless module 100 can be implemented to be compatible with various wireless formats such as CDMA one (IS-95), cDMA 2000 1x or 1xEV, or the like and in the future, D.S.R.C. (dedicate short range communications).

The baseband signal processor 150 includes a modulation/demodulation unit connected to a data transfer unit wherein the modulation/demodulation unit converts to receive signals to a baseband signal and supplies the demodulation signal to the data transfer unit where data packets are extracted.

Further, the baseband processor 150 includes an optional data packetized, depacketized unit for packetizing prepacketizing transmission signals and receiving signals prior to transmission signals and receive signals to receiver circuit and microprocessor 170.

5           Turning now to FIG. 3, a system block diagram 200 of the present invention is shown. The present invention includes the above wireless module 210 coupled to a mobile device which may include a display 230, CPU 220 and tabular data 250. The wireless module 210 is coupled to a base station device 260 (or server device or the like), which has a wireless communication interface 270.

10           A microprocessor controls the base station 260, which is coupled to the communications module 210 and controls the operation of the mobile wireless device 240 and the interchange of data through the wireless coupling 270, which directs the operation of the base station 260.

15           When the mobile wireless device 240 is purchased, it is provided with a software application located on a disk, for example, providing the base station 260 software that enables the user to provide the specified "type of" device addresses and web sites associated therewith. The user would, for example, be able to select a storage server, or a storage device, depending on the kind of mobile device being used. Further, this information can simply be preloaded on a memory stick or other  
20           kind of data collection device. A base station device would, for example, transfer the data to the wireless module or all of this information can be downloaded via a wireless coupling or memory card reader to removable memory module, which could be coupled to the mobile device or be received by the mobile device through a wireless coupling or a USB connection or the like.

25           More importantly, the wireless coupling would enable the host device 260 to update information of the mobile device type or web site addresses having applications. Accordingly, the wireless coupling 270 would enable web site applications most used to be prioritized.

30           An example of the storing of the "type of" device data and website addresses associated therewith is a list shown in FIG 5a, having the device "type of"

and web site address. This list could be found on the mobile device, memory module or at a remote storage device. The "type of" device data is shown in one column and the website address data is shown in another column, and the type address 410 and website address 420 are correlated together in the table.

5                   Further, for a specific wireless device, the base station device could forward web site addresses associated with that wireless device, via the wireless coupling 270. Accordingly, the wireless device may only need less data of the web sites associated with the particular type of wireless device than the web site addresses stored at the base station device.

10                   As an example, if the wireless mobile device is a camera, the user would want to use web sites associated with digital photography. Such web sites would be, for example, AOL Pictures, Sony's Image Station, Yahoo Pictures, ShutterFly.com, and other digital photography web sites. Accordingly, the digital camera could access these web applications easily and the user could pick and choose  
15                   which digital photography sites they would want to use. This prevents the user from having to go through a cumbersome process of searching the internet for all digital photography sites associated with the product they are using.

                  Moreover, the wireless device would be able to display these sites using its display and/or select the sites from the reduced list.

20                   Turning now to FIG. 4a, there is shown another embodiment of the present invention where a host sends the type of device data to the wireless module in step 310. In step 320, the wireless module retrieves the web addresses from the type. In the third step (330, 335), the wireless module will access and retrieve the web addresses.

25                   FIG. 4b shows a base station sending the web site address to the wireless module 340 and the wireless module accessing the web address, step 350.

                  FIG. 5b, shows a high level software diagram of an example of software application modules for the above described system. For example, the user interface module 500 would enable the user to determine which display of lists of web  
30                   sites according to the particular "type of" device.



099708010201

The agent menu module 510 would receive the web site data and would have a two way communication with the mobile host device so the web site data can be continuously updated. The automatic module would receive instructions from the user interface module 500 and instruct the agent menu, as to which internet  
5 addresses to access. The operating module 520 would operate the automation module 530 to access the correct internet websites as instructed by the user and website address information contained by the agent module.

In the present invention, as described above, user convenience is realized by making it possible to automatically use web sites associated with a  
10 particular device, without the user having to log onto an internet service and search websites and repeatedly inputting search information.

Further, such information is continuously updated by the servers at the host device by the most frequent internet service sites being used. Also, the user set up can be updated with the same parameters, regardless of the mobile device.

15 Thus it is apparent that in accordance with the present invention, an apparatus that fully satisfies the objectives, aims and advantages is set forth above. While the invention has been described in conjunction with specific embodiments, it is evident that many alternatives, modifications, permutations and variations will become apparent to those skilled in the art in light of the foregoing description. Accordingly, it  
20 is intended that the present invention embrace all such alternatives, modifications and variations as fall within the scope of the appended claims.